


ECOPLUS™ INLINE FANS

Code#	Description	CFM	MSRP
736600	4" Inline Fan	170	\$135.95
736605	6" Inline Fan	440	\$173.95
736610	8" Inline Fan	740	\$220.95
736675	10" Inline Fan	780	\$270.95
736680	12" Inline Fan	1060	\$330.95

- Very powerful and efficient motors
- Durable steel housing with powder coated finish
- Wall or ceiling mounting brackets attached for easy installation
- Pre-wired with 120 volt power cord
- 2 year warranty
- A perfect match for our EcoPlus™ Carbonaire Filters



CAN-FAN® INLINE FANS

Code#	Description	Max CFM	Max RPM	Max Watts	Diameter	Inlet/Outlet	MSRP
736780	Can-Fan® 4"	142	3200	61	11.26"	3.94"	\$153.95
736785	Can-Fan® 4" High Output	178	3260	70	11.26"	3.94"	\$164.95
736787	Can-Fan® 5" High Output	206	3255	72	11.3"	4.92"	\$164.95
736790	Can-Fan® 6"	270	3240	73	12.3"	5.9"	\$184.95
736795	Can-Fan® 6" High Output	440	3246	136	15.1"	5.9"	\$208.95
736800	Can-Fan® 8"	493	3215	125	15.2"	7.87"	\$244.95
736805	Can-Fan® 8" High Output	737	3310	253	15.2"	7.87"	\$262.95
736810	Can-Fan® 10" High Output	781	3290	251	15.2"	9.84"	\$282.95
736815	Can-Fan® 12" High Output	971	3365	331	17.5"	12.0"	\$399.95


Can-Fan® bring its innovation to market and sets a new standard for performance. The outstanding performance of our fans set them apart from the competition. Each fan comes pre-wired with an 8' - 120 volt power cord. 5 year warranty.



CAN-FAN® MAX FAN

Code#	Description	CFM	MSRP
736830	10" Max Fan	1023	\$399.95
736840	14" Max Fan	1823	\$721.95

Can-Fan® bring its innovation to market and sets a new standard for performance. The Max Fan is more powerful and efficient fan that takes less energy to run. Come pre-wired with an 8' - 120 volt power cord. 5 year warranty.



VORTEX INLINE POWERFANS

Code#	Description	CFM	MSRP
736700	4" Vortex Inline Fan	172	\$189.95
736705	6" Vortex Inline Fan	449	\$249.95
736710	8" Vortex Inline Fan	747	\$299.95
736715	10" Vortex Inline Fan	790	\$349.95
736720	12" Vortex Inline Fan	1140	\$499.95

to 12 inches. Speed controllable and balanced motors with permanently lubricated ball bearings ensure vibration-free operation. Proudly made in Canada by Atmosphere. The Vortex Powerfan comes with a power cord, ready to plug in, installed by the manufacturer. These blowers feature a 10 year warranty.

These high performance inline blowers feature superior steel construction with powder coated baked paint and convenient North-American sizes from 4



Code#	Description	CFM	MSRP
736290	10" Fantech Centrifugal Fan (FKD10XL)	1266	\$739.95
736120	12" Fantech Centrifugal Fan (FKD12XL)*	2016	\$899.95

*Note: XL model has 12 3/8" diameter intake port

axial designs with the higher pressure, non-overloading characteristics of backward curved impellers. Galvanized steel housing as above with baked powder coat finish. External motor with built-in thermal overload protection and automatic reset. Permanently sealed ball bearings. External wiring box for ease of connection. 100% speed controllable. Mixed flow impeller. Suitable for airstream temperatures up to 140° F. Excellent heat dissipation to ensure long motor life. Tested and approved by UL and CSA. 3 Year Factory Warranty.

FANTECH INLINE MIXED FLOW DUCT FANS FKD SERIES

These fans are specifically designed to bridge the transition between centrifugal and axial by combining the high flow of



FANS/BLOWERS/DUCTING

FANTECH INLINE CENTRIFUGAL FANS FR SERIES



Code#	Description	CFM	MSRP
736055	4" Fantech Centrifugal Fan (FR110)	167	\$199.95
736065	6" Fantech Centrifugal Fan (FR150)	243	\$219.95

These fans feature a top quality German-made motor and heavy duty thermoplastic white housing. They are approved for residential or commercial applications and for wet locations. Tested and approved by UL and CSA, FR Series fans are suitable for airstream temperatures up to 140° F. 100% speed controllable. Supplied with a mounting bracket for easy installation. 5 Year Factory Warranty.


FANTECH INLINE CENTRIFUGAL FANS FX SERIES



Code#	Description	CFM	MSRP
736510	4" Fantech Centrifugal Fan (FX4)	117	\$199.95
736060	4" Fantech Centrifugal Fan (FX4XL)	148	\$219.95
736070	6" Fantech Centrifugal Fan (FX6)	256	\$224.95
736075	6" Fantech Centrifugal Fan (FX6XL)	392	\$299.95
736515	8" Fantech Centrifugal Fan (FX8)	481	\$299.95
736080	8" Fantech Centrifugal Fan (FX8XL)	521	\$354.95
736095	10" Fantech Centrifugal Fan (FX10XL)	590	\$409.95
736520	12" Fantech Centrifugal Fan (FX12)	711	\$489.95
736105	12" Fantech Centrifugal Fan (FX12XL)	801	\$549.95

Same German made, top quality motor as the FR series, except the housing is galvanized steel with baked on powder coat finish. Powered by external rotor motorized impeller for excellent heat dissipation. Automatic reset thermal overload protection. Permanently sealed ball bearings. External wiring box for ease of connection. Tested and approved by UL and CSA, FX Series fans are suitable for airstream temperatures up to 140° F. 100% speed controllable. 5 Year Factory Warranty. Available Sizes: 4" to 12" diameter.

FR, FX, FKD Series Fans feature: Easy connection to a power supply (includes power cord and strain relief - not wired in), either with a power cord or hard-wired, using external wiring box with waterproof gasket.



Easy Maintenance



Remove body, for repairs or cleaning, without touching the ducting

SOLER & PALAU TD - MIXVENT FLOW FANS

Code#	Description	Max CFM	Max Watts	Diameter	Fan Weight	MSRP
736330	TD 100x - Polypropylene housing	140	60	4"	4.4 lbs	\$121.95
736335	TD 150 - Polypropylene housing	312	65	6"	4.4 lbs	\$189.95
736340	TD 200x - Polypropylene housing	508	169	8"	8.8 lbs	\$247.95
736345	TD 250 Steel housing with epoxy coating	765	255	10"	19.8 lbs	\$399.95
736350	TD 315 Steel housing with epoxy coating	1089	347	12.4"	30.9 lbs	\$525.95

Low profile mixed flow fans, manufactured in plastic material with ABS fan blades (up to model 200x) or in galvanized steel sheet protected with Epoxy paint with Aluminum fan blades (250 & 315) with external terminal box, removable motor-impeller assembly and adjustable single-phase motor. The extensive range of the TD-Mixvent series makes it an effective solution for a wide range of residential and light commercial ventilation installations. These fans can be connected at any point along the ventilation duct. The removable body allows for easy maintenance, cleaning and repair. Power cord & strain relief are included, but not wired in.

Easy Assembly



For a dealer near you, log on to our web site
www.nationalgardenwholesale.com

Code#	Description	MSRP
736360	4 Inch Air Sox (4" x 10')	\$55.95
736365	6 Inch Air Sox (6" x 10')	\$57.95
736370	8 Inch Air Sox (8" x 10')	\$61.95
736375	10 Inch Air Sox (10" x 10')	\$107.95

Air Sox are attached to centrifugal, inline fans and are generally used for two purposes in an indoor gardening application:

Use Air Sox for filtering air being brought into a grow room. It is important to remove as much dust, insects and fungi as possible. The Air Sox material has been designed to catch as much of these contaminants as possible with minimal restriction of the fan.

The second purpose of the Air Sox is air distribution. Typically indoor gardens would have an intake on one side of the room with an exhaust on the other. One problem with this design is that you will potentially have large temperature variances from one side of the room to the other. The Air Sox allows for more even distribution of the air across the entire garden area creating more consistent and manageable temperatures. It will keep cold intake air from blowing on your plants.

NEW!

AIR SOX



Code#	Description	MSRP
736505	EcoPlus™ 16" - 3 Speed Wall Mount Oscillating Fan	\$44.95/ea

ECOPLUS™ OSCILLATING WALL MOUNT FAN BY LAKEWOOD

Perfect for any indoor garden application. They offer adjustable vertical settings and 3 speed control switch. They are very efficient and whisper quiet. Trust a brand name like Lakewood. One year manufacturer warranty.



Code#	Description	MSRP
736735	Air King 6" - 2 speed circulating clip on fan	\$24.95/ea
736725	Air King 12" - 3 speed wall mount oscillating fan	\$63.95/ea
736730	Air King 16" - 3 speed wall mount oscillating fan	\$71.95/ea
736740	Air King 18" - 3 speed wall mount oscillating fan	\$92.95/ea

AIR KING FANS

The 6 inch clip on fan has impact resistant plastic grills with chemical resistant polypropylene blade, 2-speed and 1/300 HP motor. One year warranty.

The 12 inch Wall Mount fan has a powder coated steel front grill with impact resistant plastic rear grill and chemical resistant polypropylene blade, 3-speeds and a 1/50 HP motor. It oscillates 90° or can be locked in non-oscillating position. One year warranty.

The 16 inch Wall Mount fan has a powder coated steel front grill with impact resistant plastic rear grill and chemical resistant polypropylene blade, 3-speeds and a 1/20 HP motor. It oscillates 90° or can be locked in non-oscillating position. One year warranty.

The 18 inch Wall Mount fan has a powder coated steel front grill with impact resistant plastic rear grill and chemical resistant polypropylene blade, 3-speeds and a 1/20 HP motor. It oscillates 90° or can be locked in non-oscillating position. One year warranty.



Code#	Description	CFM	MSRP
736901	4" Axial Fan / .18 Amps / 18 Watts / 115V	105	\$33.95
736906	6" Axial Fan / .23 Amps / 27 Watts / 115V	239	\$74.95
736911	10" Axial Fan / .23 Amps / 26 Watts / 115V	665	\$89.95
736913	6' Power Cord For Axial Fan		\$5.95

NEW!

DAYTON AXIAL FANS



4" Axial Fan, 105 CFM, 115 Volt

Square AC Axial Fan, Air Flow 105 CFM, Voltage Rating 115 Volts, Width 4 11/16 Inches, Speed 2900 RPM, Current Rating 0.18 Amp, Bearing Sleeve, Power Rating 18 Watts, Speech Interference Level 48 dB, Cast Aluminum Housing, Maximum Temperature 158 Degrees Fahrenheit

6" Axial Fan, 238 CFM, 115 Volt


Round AC Axial Fan, Air Flow 239 CFM, Voltage Rating 115 Volts, Width 5 7/8 Inches, Speed 3200 RPM, Current Rating 0.23 Amp, Bearing Ball, Power Rating 27 Watts, Speech Interference Level 55 dB, Cast Aluminum Housing, Maximum Temperature 176 Degrees Fahrenheit

10" Axial Fan, 665 CFM, 115 Volt

Round AC Axial Fan, Air Flow 665 CFM, Voltage Rating 115 Volts, Speed 1600 RPM, Current Rating 0.23 Amp, Bearing Ball, Power Rating 26 Watts, Speech Interference Level 52 dB, Cast Aluminum Housing, Maximum Temperature 176 Degrees Fahrenheit

FANS/BLOWERS/DUCTING

ECOPLUS™ BLOWERS



Code#	Description	CFM	MSRP
736620	EcoPlus™ Blower	180	\$91.95
736625	EcoPlus™ Blower	265	\$102.95
736630	EcoPlus™ Blower	465	\$113.95
736640	EcoPlus™ Blower	600	\$144.95
736645	EcoPlus™ Blower	800	\$174.95

BLOWOUT PRICE

- Attractive gray powder coated steel housing
- Quiet, powerful and dependable - industrial grade quality
- Full color label on outer carton
- 10 foot grounded power cord pre wired into each unit
- Excellent way to control temperature and humidity in any growing area
- 1 year warranty


Intake flange adapters built right into fan, no need to purchase hose adapters separately

DAYTON BLOWERS



Code#	Description	MSRP
736005	140 cfm Blower with power cord and strain relief attached	\$98.95
736010	265 cfm Blower with power cord and strain relief attached	\$111.95
736015	465 cfm Blower with power cord, but NOT attached	\$128.95
736020	495 cfm Blower with power cord and strain relief attached	\$188.95
736030	980 cfm Blower with power cord and strain relief attached	\$256.95
736031	Blower Support Bracket (For 736030)	\$16.95

All blowers include the power cords. The power cords are attached with strain relief except the 465 cfm model. These blowers are made out of heavy duty steel housing and powder coated to withstand moist environments. One year warranty.



ECOPLUS™ BLOWER ADAPTORS


These adaptors are very heavy duty and made for years of use. They are all made of heavy gauge galvanized steel. All exhaust adaptors offer a 90° flange for easy mounting. New individual retail packaging. Designed to work with the EcoPlus™ & Dayton Blowers.

Code#	Description	Fitting Size	Works with EcoPlus Blower No.	Works with Dayton Blower No.	MSRP
736225	140 cfm INTAKE	4"	N/A - built in	736005	\$9.29/ea
736230	140 & 180 cfm EXHAUST	4"	736620	736005	\$9.49/ea
736235	265 & 465 cfm INTAKE	6"	N/A - built in	736010 & 736015	\$9.95/ea
736240	265 cfm EXHAUST	4"	736625	736010	\$12.95/ea
736241	265 cfm INTAKE or EXHAUST (no mounting bracket)	4"	N/A	736010	\$12.95/ea
736250	465 cfm EXHAUST	4" x 2"	736630	736015	\$19.95/ea
736251	465 cfm EXHAUST	6"	736630	736015	\$19.95/ea
736255	495 cfm INTAKE	6"	N/A	736020	\$12.49/ea
736260	495 cfm EXHAUST	4"	N/A	736020	\$9.29/ea
736261	600 cfm EXHAUST	6"	736640	N/A	\$29.95/ea
736262	800 cfm EXHAUST	8"	736645	N/A	\$32.95/ea

FANS/BLOWERS/DUCTING

Code#	Description	CFM	MSRP
736650	4" Inline Duct Booster	70	\$44.95
736655	6" Inline Duct Booster	160	\$50.95
736660	8" Inline Duct Booster	370	\$56.95
736665	12" Inline Duct Booster	650	\$89.95

- Perfect for boosting air flow in long runs of ducting
- Energy efficient and very quiet
- Lightweight and easy to install
- 1 year warranty
- Come completely wired with junction box, strain relief & power cord
- Fluted on both ends to receive ducting
- Boxed in retail friendly packaging



ECOPLUS™ INLINE DUCT BOOSTERS

Code#	Description	MSRP
736617	The Speedster™	\$29.95

The Speedster™ is great multi purpose speed control. Three settings include off, on (full) and variable. Simple use the dial to increase or decrease fan motor speed. 120 volt/15 amps. For use with brush type motors only. 90 day warranty.



THE SPEEDSTER™ - VARIABLE FAN SPEED CONTROL

Code#	Description	MSRP
736167	EL500 - Cooling Thermostat	\$59.95

Easy to use - plug fan into control receptacle, then plug control into 120 volt power supply. Set thermostat to a temperature you want the fan to come on at and that's it!



FAN CONTROL

Code#	Description	MSRP
736618	Dial-A-Temp	\$26.95

The Dial-A-Temp is a plug-In style speed control specifically designed for controlling fans or blowers. It operates from 115 VAC 50/60 Hz with a maximum rating of 300 Watts (2.5 amps) @ 25° C/77° F. The Dial-A-Temp contains an On/Off line switch with variable speed control from low to high. No internal wiring, just plug in and use. One year warranty.



DIAL-A-TEMP

Code#	Description	MSRP
736615	Fantech speed control with on/off switch (5-amp)	\$23.95

Rotary type variable speed controller with on/off switch. Brushed aluminum switch plate and screws included. Fits standard single gang box.



SPEED CONTROL WITH ON/OFF SWITCH

Code#	Description	MSRP
904165	4" x 25' ducting	\$16.95/ea
904170	6" x 25' ducting	\$22.95/ea
904175	8" x 25' ducting	\$29.95/ea
904180	10" x 25' ducting	\$35.95/ea
904185	12" x 25' ducting	\$43.95/ea

Ideal for air cooling all Sun System® hoods. Also can be used in various heating, ventilating or exhausting applications. These Class 1 aluminum flexible air duct connectors are made from tough, puncture resistant 3 ply aluminum foil laminate & contain a high density, corrosion resistant wire helix in the duct wall for support. Now includes 2 stainless steel hose clamps in every box.

**NOW EVEN
BETTER QUALITY!**

**NOW INCLUDES
2 CLAMPS**

DUCTING WITH CLAMPS





2000 SR DUCTING



NEW!



The 2000 SR Series Ducting is specifically engineered to handle unconditioned air. The 2000 SR Series can withstand high heat, high humidity and excessive CFM's without any duct failure or fatigue. 2000 SR features a triple laminate with industrial grade foil casing for durability, and an ultra-smooth double sealed core for frictionless and silent air flow. The "Carbon Black" inner core does not reflect light. "Rip-stop" prevents tearing, galvanized spring steel maintains duct shape and prevents rust. The SR series is c-ETL-us certification tested and verified to conform to UL181 standards. Made in Canada! North America's best quality product. It's engineered for what you need.

Code#	Description	Cs Qty	MSRP
736915	4" x 25' SR Ducting	8	\$25.95/ea
736920	6" x 25' SR Ducting	6	\$35.95/ea
736925	8" x 25' SR Ducting	2	\$46.95/ea
736930	10" x 25' SR Ducting	2	\$58.95/ea
736935	12" x 25' SR Ducting	2	\$73.95/ea
736940	14" x 25' SR Ducting	2	\$91.95/ea

HOSE CLAMPS



These stainless steel hose clamps are perfect for attaching duct to Sun System® reflectors. They are simple to use and make for a clean & attractive duct connection.

Code#	Description	MSRP
380030	4" Hose Clamp	\$1.60/ea
380050	6" Hose Clamp	\$1.90/ea
380060	8" Hose Clamp	\$4.00/ea
380070	10" Hose Clamp	\$4.40/ea
380080	12" Hose Clamp	\$6.00/ea

NOISE REDUCTION CLAMPS – NEOPRENE LINED



These clamps are used with fans, carbon filters and ducting. The neoprene lining makes for a tight, vibration free fit. Also use to clamp two 6" Sun Tube's together. 2 each per box.

Code#	Description	MSRP
380092	Noise Reduction Clamp 4"	\$7.95/ea
380094	Noise Reduction Clamp 6"	\$9.95/ea
380096	Noise Reduction Clamp 8"	\$10.95/ea
380098	Noise Reduction Clamp 12"	\$14.95/ea

SILVER FLEX DUCT TAPE



A 2 mil, heavy duty, high strength aluminum foil coated with a specially formulated pressure sensitive acrylic adhesive system. Will not leave behind messy adhesive residue. Use it to make your ducting to fixture connections air tight. Also used to seal any air gaps in reflectors. UL listed.

Code#	Description	Case Pk	MSRP
904161	Duct Tape - 5 yards	54	\$2.49/ea
904162	Duct Tape - 120 yards	24	\$17.95/ea

DUCT REDUCERS



Code#	Description	MSRP
736210	Reducer 6" to 4"	\$11.95
736211	Reducer 8" to 6"	\$12.49
736212	Reducer 10" to 8"	\$14.49
736213	Reducer 12" to 10"	\$14.95
736214	Reducer 14" to 12"	\$19.95

"Y" CONNECTORS



NEW SIZES!



Code#	Description	MSRP
736185	4" x 4" x 4" "Y" Connector	\$15.95/ea
736189	6" x 4" x 4" "Y" Connector	\$16.95/ea
736190	6" x 6" x 6" "Y" Connector	\$17.95/ea
736195	8" x 6" x 6" "Y" Connector	\$17.95/ea
736200	8" x 8" x 8" "Y" Connector	\$19.50/ea
736205	10" x 8" x 8" "Y" Connector	\$21.95/ea
736217	12" x 10" x 10" "Y" Connector	\$35.95/ea
736216	12" x 12" x 12" "Y" Connector	\$35.95/ea

Sturdy galvanized construction. Allows for venting of multiple areas at the same time utilizing one fan.